

Licencee:	Port Kembla Coal Terminal Limited
Environment Protection Licence:	1625
Licence URL:	http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=106587&SYSUID=1&LICID=1625
PKCT EPA Public Register	https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=1625&id=1625&option=licence&searchrange=general⦥=POEO
	licence&prp=no&status=Issued
Location:	Port Kembla Road, Port Kembla Inner Harbour, Wollongong
Postal Address:	PO Box 823, Wollongong East 2502





#### PORT KEMBLA COAL TERMINAL **DUST & WEATHER MONITOR LOCATIONS**



EPL No.	PKCT No.	Dust Monitor Location Description
1	P1	25m south of Bulk Products Berth (BPB)
2	P2	40m south of Bulk Products Berth stockyard
3	P3	40m east of Bulk Products Berth stockyard
4	P4	40m east Coal Berth stockyard
5	P5	Northern Pond (Pond No.1)
6	P6	40m west Coal Berth stockyard
7	P7	250m west of Coal Berth stockyard
8	P8	PKCT north truckwash
9	P9	Wollongong Wastewater Treatment Plant
15	P10	North of PKCT Planning Office
17	P11	Entry Gate to BlueScope Ro Ro (Berth 109)
12	R1	157 Church Street (two gauges)
19	R2	Vikings Oval, Wollongong (two gauges)
ТВА	R3	Links Seaside Apartments
20	C1	Continuous Dust Monitor 1
21	C2	Continuous Dust Monitor 2

# refer PKCT Environment Protection Licence(EPL) No. 1625 (EPA ID No.) Dust Gauges- Environment Protection Licence monitoring sites Sites denoted "P": industrial; "R": residential

Continuous Dust Monitor Sites- additional

(a) BlueScope High Volume Sampler & dust gauge

(b) PKCT EPL Monitoring Site R2 (2 gauges) Weather stations

(a) at each continuous dust monitor site

(b) PKCT Main Control Room







	EPL MONITORING S								Year 2						l					
	Monthly Analysis		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	MOY	DEC	<u> </u>				Annual average: gram	s per square metre.month
No.	Location Gauge Number	analysis: grams/square metre.month													Samples collected	MIN	MEAN	MAX	rolling 12 month average	PKCT assessment criteria
1	P1	Insoluble Solids	10.5	1.6	3.2	4.4	4.8	5.2	4.7	3.6					8	1.6	4.8	10.5	4.5	15.0
	25m South	Ash	8.7	1.0	2.1	3.2	3.2	3.4	3.1	2.7					8	1.0	3.4	8.7		
	BPB Coal Berth	Combustible Matter	1.8	0.6	1.1	1.2	0.9	1.8	1.6	0.9					8	0.6	1.2	1.8	1.2	12.0
2	P2	Insoluble Solids	8.3	2.6	3.0	2.5	5.0	3.1	6.6	2.4					8	2.4	4.2	8.3	4.1	15.0
	40m South of	Ash	6.6	1.6	2.0	1.9	4.1	2.4	5.3	2.0					8	1.6	3.2	6.6		
	BPB Stockyard	Combustible Matter	1.7	1.0	1.0	0.6	0.9	0.7	1.3	0.4					8	0.4	1.0	1.7	1.1	12.0
3	P3	Insoluble Solids	9.7	6.5	5.6	6.5	6.6	6.9	24.1	14.6					8	5.6	10.1	24.1	9.5	15.0
	40m East of	Ash	7.9	5.1	3.4	4.7	4.6	5.3	18.7	12.5					8	3.4	7.8	18.7 5.4	24	40.0
	BPB Stockyard	Combustible Matter	1.8 9.7	1.4 5.2	2.2 4.2	1.8 3.6	2.0	1.6 3.3	5.4 4.7	2.1 3.9					8	1.4 3.3	2.3	9.7	2.4 5.4	12.0 15.0
4	40m East Coal Berth	Insoluble Solids Ash	7.9	1.5	2.3	1.3	2.0	2.0	3.0	1.9					8	1.3	4.8 2.7	7.9	5.4	15.0
	Stockyard	Combustible Matter	1.8	3.7	1.9	2.3	1.8	1.3	1.7	2.1					8	1.3	2.1	3.7	2.7	12.0
5	P5	Insoluble Solids	10.9	8.9	12.8	2.7	3.7	2.2	3.4	2.5			_		0	2.2	5.9	12.8	6.4	15.0
,	Northern Pond	Ash	7.2	3.8	3.4	0.8	1.3	0.9	1.9	1.3					8	0.8	2.6	7.2	0.4	15.0
	(No.1)	Combustible Matter	3.7	5.1	9.4	1.9	2.4	1.3	1.5	1.2					8	1.2	3.3	9.4	3.7	12.0
6	P6	Insoluble Solids	12.0	3.1	7.8	1.4	1.6	0.8	9.5	5.2					8	0.8	5.2	12.0	5.8	15.0
	40m West Coal Berth	Ash	8.8	1.4	4.1	0.9	1.1	0.5	5.9	3.4					8	0.5	3.3	8.8		
	Stockyard	Combustible Matter	3.2	1.7	3.7	0.5	0.5	0.3	3.6	1.8					8	0.3	1.9	3.7	2.4	12.0
7	P7	Insoluble Solids	11.7	2.7	5.0	1.2	1.8	1.7	9.2	3.0					8	1.2	4.5	11.7	4.3	15.0
	260m West No.2	Ash	8.9	1.6	3.0	0.8	1.3	1.2	7.7	2.2					8	0.8	3.3	8.9		
	Coalberth	Combustible Matter	2.8	1.1	2.0	0.4	0.5	0.5	1.5	0.8					8	0.4	1.2	2.8	1.3	12.0
8	P8	Insoluble Solids	14.1	5.4	8.5	15.7	9.1	13.2	11.2	10.4					8	5.4	11.0	15.7	14.2	15.0
	PKCT North	Ash	8.2	1.8	2.7	2.6	2.4	3.1	3.5	3.0					8	1.8	3.4	8.2		
	Truckwash	Combustible Matter	5.9	3.6	5.8	13.1	6.7	10.1	7.7	7.4					8	3.6	7.5	13.1	10.5	12.0
9	P9	Insoluble Solids	9.6	1.6	3.6	0.7	1.4	1.6	2.9	1.6					8	0.7	2.9	9.6	3.1	6.0
	Wollongong	Ash	7.3	0.8	1.6 2.0	0.4	0.7 0.7	0.8	1.7	0.8					8	0.4	1.8	7.3	10	4.0
45	Wastewater TP.	Combustible Matter Insoluble Solids			7.7										8		7.0		1.3 7.6	4.U 15.0
15	North of PKCT	Ash	17.6 11.7	6.0 2.5	3.4	2.6 1.2	6.3 3.9	3.7 2.0	6.9 4.4	5.1 3.0					8	2.6 1.2	4.0	17.6	7.6	15.0
	Planning Office	Combustible Matter	5.9	3.5	4.3	1.4	2.4	1.7	2.5	2.1					8	1.4	3.0	5.9	3.6	12.0
17	P11	Insoluble Solids	BB	4.4	4.3	2.0	3.4	2.2	7.9	3.3					7	2.0	3.9	7.9	3.6	6.0
	Entry Gate BlueScope		BB	3.4	3.6	1.5	2.9	1.8	6.5	2.7					7	1.5	3.2	6.5	0.0	0.0
	RO.RO Berth (109)	Combustible Matter	BB	1.0	0.7	0.5	0.5	0.4	1.4	0.6					7	0.4	0.7	1.4	0.7	4.0
	,										ORT: C	OMMEN	TARY O	N RE	SULTS					
ote 1:	there are no EPL air gua	ality limits in the EPL for industri	ial monitor	ring sites	. Historica	al informa	tion provi									inst actu	al results	to facilita	ite performance improvement.	
	AMPLE PERIOD	Date Sampled		Results O			te Publish			ENTARY										
	January 2020	04/02/2020	2	24/02/20:	20	2	610212020	)	bushfire outside few read levels w	s. Sample rolling anr lings acro: ere low co	Site P11 on Site P11 on Site Site Ias Simpared t	vas found ge assess t 12 month o previous	on the grou sment criter s. There ha smonths.	ınd with ria for ii ıve bee	h a broken nsoluble s n some re	bottle fo olids and cent dus	llowing a combust t mitigatio	wind store tible matte on strateg	to the extreme weather conditions and con: n January, Mo sample was collected at 8 er. Site "P8", located near the truckwash is i ies installed at the truckwash to reduce dus	ite P11 as a result. One site, "P8" margi marginally outside the criteria as a resu t levels in this location. January particu
	February 2020	04/03/2020	2	20/03/20:	20	2	3/03/2020	)	the crite	ria as a re	sult of a f	ew reading		ne last i					ds and combustible matter. Site "P8", local ent dust mitigation strategies installed at th	
	March 2020	02/04/2020	1	16/04/202	20	1	6/04/2020	)											ds and combustible matter. Site "P8", local ere very low.	ted near the truckwash is marginally ou
	April 2020	04/05/2020	1	19/05/202	20	1	9/05/2020	)	One site, "P8" marginally outside rolling annual average assessment criteria for insoluble solids and combustible matter. Site "P8", located near the truckwash is marginally outside the criteria as a result of a few readings across the last 12 months. April particulate levels were moderate.											
	May 2020	02/06/2020	2	22/06/20	20	2	3/06/2020	)	One site, "P8" marginally outside rolling annual average assessment criteria for insoluble solids and combustible matter. Site "P8", located near the truckwash is marginally outside the criteria as a result of a few readings across the last 12 months. May particulate levels were moderate.											
	June 2020	02/07/2020	2	20/07/20:	20	2	010712020	)	One site, "PS" marginally outside rolling annual average assessment criteria for insoluble solids and combustible matter. Site "PS", located near the truckwash is marginally outside the criteria as a result of a few readings across the last 12 months. There have been some recent dust mitigation strategies installed at the truckwash to reduce dust levels in this location.											
	July 2020	04/08/2020		19/08/202			1/08/2020		the crite location	ria as a re: . Results I	sult of a f for July a	ew reading e relatively	s across th						ds and combustible matter. Site "P8", local ent dust mitigation strategies installed at th	
	August 2020	02/09/2020		21/09/202	20	2	4/09/2020	)	All sites	within ass	essment	criteria								
$\overline{}$			_						All sites within assessment criteria											





FP	MONITORIN	G SITES- RESIDENTIAL					-	Calenda	r Year 2	2020					Mo	nthly An	alveis		annual aver	age: grams per
	<u> </u>	MONTH	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	1 ""	nuny An	ulysis			netre.month
EPL No.	Location Gauge Number	Analysis: grams/square metre.month	- CAN	125	mru.			0011	002	7,00	OL!	-		BEG	No. samples collected	MIN	MEAN	MAX	rolling 12 month average	PKCT assessment criteria
12	R1	Insoluble Solids	7.7	1.0	1.0	0.4	3.4	0.2	1.5	0.3					8	0.2	1.9	7.7	1.6	4.0
	157 Church St	Ash	6.6	0.7	8.0	0.2	2.9	0.2	1.1	0.3					8	0.2	1.6	6.6		
	Wollongong	Combustible Matter	1.1	0.3	0.2	0.2	0.5	<0.1	0.4	<0.1					6	0.2	0.5	1.1	0.4	2.0
19	R2	Insoluble Solids	8.4	0.6	0.6	0.3	0.3	0.6	1.2	0.4					8	0.3	1.6	8.4	1.8	4.0
	Vikings Oval	Ash	6.4	0.4	0.3	0.1	0.2	0.4	0.7	0.2					8	0.1	1.1	6.4		
	Wollongong	Combustible Matter	2.0	2.0	0.3	0.2	0.1	0.2	0.5	0.2					8	0.1	0.7	2.0	8.0	2.0
TBA	R3	Insoluble Solids	8.6	1.9	0.6	0.3	0.3	0.3	2.7	1.9					8	0.3	2.1	8.6	1.8	4.0
	Ross Street	Ash	7.2	1.4	0.4	0.1	0.1	0.2	1.9	1.3					8	0.1	1.6	7.2		
	Wollongong	Combustible Matter	1.4	0.5	0.2	0.2	0.2	0.1	8.0	0.6					8	0.1	0.5	1.4	0.5	2.0
Note 1	: Assessment crite	ria is based on an EPA guideline of a	annual av	erage of	4 grams p					areas. PK			el of 2 gran	ns per squa	are metre for c	ombust	ible mat	ter for a	ssessment pur	poses.
SA	MPLE PERIOD	Date Sampled	Date F	lesults O	otained	Da	ate Publis	hed	COMME	NTARY										
,	January 2020	04/02/2020	2	24/02/202	0		26/02/202	0							uary. The high bushfires. All				the extreme nt criteria.	weather
F	ebruary 2020	04/03/2020	2	20/03/202	0		23/03/202	0	All sites	within asse	essment o	riteria.								
	March 2020	02/04/2020		16/04/202	0		16/04/202	0	All sites	within asse	essment o	riteria.								
	April 2020	04/05/2020		19/05/202			19/05/202		All sites	within asse	essment d	riteria.								
	May 2020	02/06/2020		22/06/202	_		23/06/202	_	All sites	within asse	essment c	riteria.								
	June 2020	02/07/2020	2	20/07/202	0		20/07/202	0		within asse										
	July 2020	04/08/2020		19/08/202			21/08/202	_					jh insolubl	e solids re	ecorded in Jul	y was c	onfirme	d by lab	as "dirt" (709	% of sample).
	August 2020	02/09/2020	2	21/09/202	0		24/09/202	0	All sites	within asse	essment o	riteria.								
	eptember 2020								<u> </u>											
	October 2020																			
	November 2020								L											
D	ecember 2020		<u> </u>						<u> </u>											





Type of Monitor Frequency: dai	Protection Licer	rce: 1625				
Frequency: dai			water qu	uality parameter	EPL Limit (100 percentile)	
	Type of Monitoring: water quality			pН	monitoring only	
requency: daily grab sample when discharging				spended solids (mg/L)	less than 50	
				il/ grease rams per litre)	not visible	
Sample Date	Date Results Obtained	Date Published	pH total suspended solids (milligrams per litre)		oil/ grease (milligrams per litre)	Commentary on Results
17/01/2020	24/02/2020	26/02/2020	8.8	62	not visible	TSS marginally exceeded EPL limit. Two samples were taken and the second sample recorded TSS of 59mg/L TSS. Exceedance has been reported to EPA. Action plan has been developed and implementation of the plan is underway.
22/01/2020	24/02/2020	26/02/2020	10.0	20	not visible	EPL compliant
23/01/2020	24/02/2020	26/02/2020	10.0	26	not visible	EPL compliant
24/01/2020	24/02/2020	26/02/2020	9.5	18	not visible	EPL compliant
04/02/2020	20/03/2020	23/03/2020	8.1	15	not visible	EPL compliant
05/02/2020	20/03/2020	23/03/2020	7.5	8	not visible	EPL compliant
06/02/2020	20/03/2020	23/03/2020	7.8	10	not visible	EPL compliant
07/02/2020	20/03/2020	23/03/2020	7.2	25	not visible	EPL compliant
08/02/2020	20/03/2020	23/03/2020	7.3	6	not visible	EPL compliant
09/02/2020	20/03/2020	23/03/2020	7.4	12	not visible	EPL compliant
10/02/2020	20/03/2020	23/03/2020	7.5	19	not visible	EPL compliant
12/02/2020	20/03/2020	23/03/2020	7.3	<5	not visible	EPL compliant
13/02/2020	20/03/2020	23/03/2020	7.0	<5	not visible	EPL compliant
14/02/2020	20/03/2020	23/03/2020	7.1	6	not visible	EPL compliant
16/02/2020	20/03/2020	23/03/2020	7.4	<5	not visible	EPL compliant
17/02/2020	20/03/2020	23/03/2020	7.2	6	not visible	EPL compliant
18/02/2020	20/03/2020	23/03/2020	7.5	7	not visible	EPL compliant
19/02/2020	20/03/2020	23/03/2020	7.3	9	not visible	EPL compliant
20/02/2020	20/03/2020	23/03/2020	7.2	5	not visible	EPL compliant
04/03/2020	16/04/2020	16/04/2020	9.2	6	not visible	EPL compliant
05/03/2020	16/04/2020	16/04/2020	9.8	8	not visible	EPL compliant
08/03/2020	16/04/2020	16/04/2020	7.3	10	not visible	EPL compliant
09/03/2020	16/04/2020	16/04/2020	7.6	11	not visible	EPL compliant
10/03/2020	16/04/2020	16/04/2020	7.2	<5	not visible	EPL compliant
01/04/2020	19/05/2020	19/05/2020	8.6	18	not visible	EPL compliant
02/04/2020	19/05/2020	19/05/2020	7.6	16	notvisible	EPL compliant
04/04/2020	19/05/2020	19/05/2020	8.3	7	notvisible	EPL compliant
28/04/2020	19/05/2020	19/05/2020	10.4	28	notvisible	EPL compliant
29/04/2020	19/05/2020	19/05/2020	10.2	47	notvisible	EPL compliant
30/04/2020	19/05/2020	19/05/2020	9.9	26	notvisible	EPL compliant

NB TSS (total suspended solids) - under EPL, a TSS water quality limit of 50 mg/litre pertains. Exceedance of this limit is permitted when discharge occurs solely as a result of rainfall measured at the premises. For discharge to be considered to occur solely as a result of rainfall, the rainfall must exceed a 5 day rainfall depth value of 90 mm over a consecutive 5 day period.

Environment Protection Licence 1625 Monthly Report: August 2020





						TORING: Licenced Discharge POINT 16
Environment P	rotection Licen	ce: 1625	water qu	uality parameter	EPL Limit (100 percentile)	
Type of Monitori	ng: water quality	/		pН	monitoring only	
Frequency: dail	requency: daily grab sample when discharging			spended solids (mg/L)	less than 50	
				il/ grease grams per litre)	not visible	
Sample Date	Date Results Obtained	Date Published	pH total suspended solids (pH units) (milligrams per litre)		oil/ grease (milligrams per litre)	Commentary on Results
01/05/2020	22/06/2020	23/06/2020	9.6	21	not visible	EPL compliant
16/05/2020	22/06/2020	23/06/2020	9.8	30	not visible	EPL compliant
21/05/2020	22/06/2020	23/06/2020	10.6	28	not visible	EPL compliant
22/05/2020	22/06/2020	23/06/2020	9.3	12	not visible	EPL compliant
23/05/2020	22/06/2020	23/06/2020	7.2	5	not visible	EPL compliant
25/05/2020	22/06/2020	23/06/2020	7.6	6	not visible	EPL compliant
26/05/2020	22/06/2020	23/06/2020	7.8	<5	not visible	EPL compliant
09/06/2020	20/07/2020	20/07/2020	8.0	<5	not visible	EPL compliant
10/06/2020	20/07/2020	20/07/2020	8.0	<5	not visible	EPL compliant
12/06/2020	20/07/2020	20/07/2020	7.8	<5	not visible	EPL compliant
13/06/2020	20/07/2020	20/07/2020	7.6	<5	not visible	EPL compliant
14/06/2020	20/07/2020	20/07/2020	7.7	<5	not visible	EPL compliant
15/06/2020	20/07/2020	20/07/2020	7.7	<5	not visible	EPL compliant
16/06/2020	20/07/2020	20/07/2020	7.7	8	not visible	EPL compliant
17/06/2020	20/07/2020	20/07/2020	7.7	6	not visible	EPL compliant
18/06/2020	20/07/2020	20/07/2020	7.7	<5	not visible	EPL compliant
22/06/2020	20/07/2020	20/07/2020	7.5	7	not visible	EPL compliant
24/06/2020	20/07/2020	20/07/2020	8.9	<5	not visible	EPL compliant
25/06/2020	20/07/2020	20/07/2020	7.1	9	not visible	EPL compliant
26/06/2020	20/07/2020	20/07/2020	9.2	6	not visible	EPL compliant
06/07/2020	19/08/2020	21/08/2020	7.4	9	not visible	EPL compliant
13/07/2020	19/08/2020	21/08/2020	8.9	10	not visible	EPL compliant
14/07/2020	19/08/2020	21/08/2020	8.5	10	not visible	EPL compliant
15/07/2020	19/08/2020	21/08/2020	8.0	<5	not visible	EPL compliant
24/07/2020	19/08/2020	21/08/2020	9.0	<5	not visible	EPL compliant
26/07/2020	19/08/2020	21/08/2020	8.8	7	not visible	EPL compliant
27/07/2020	19/08/2020	21/08/2020	7.8	12	not visible	EPL compliant
28/07/2020	19/08/2020	21/08/2020	7.3	20	not visible	EPL compliant
29/07/2020	19/08/2020	21/08/2020	7.0	7	not visible	EPL compliant
31/07/2020	19/08/2020	21/08/2020	7.2	<5	not visible	EPL compliant
* "Date Publish	ed" refers to this	report.				

NB TSS (total suspended solids) - under EPL, a TSS water quality limit of 50mg/litre pertains. Exceedance of this limit is permitted when discharge occurs solely as a result of rainfall measured at the premises. For discharge to be considered to occur solely as a result of rainfall, the rainfall must exceed a 5 day rainfall depth value of 90 mm over a consecutive 5 day period.





						ORING: Licenced Discharge POINT 16
	rotection Licer		water qu	iality parameter	EPL Limit (100 percentile)	
	ring: water qual	•		pН	monitoring only	
requency: da ischarging	ily grab sample	when	total sus	pended solids (mg/L)	less than 50	
				l/ grease rams per litre)	not visible	
Sample Date	Date Results Obtained	Date Published	pH (pH units)	total suspended solids (milligrams per litre)	oil/ grease (milligrams per litre)	Commentary on Results
03/08/2020	21/09/2020	24/09/2020	7.3	<5	not visible	EPL compliant
06/08/2020	21/09/2020	24/09/2020	7.4	<5	not visible	EPL compliant
07/08/2020	21/09/2020	24/09/2020	7.4	<5	not visible	EPL compliant
08/08/2020	21/09/2020	24/09/2020	7.2	6	not visible	EPL compliant
09/08/2020	21/09/2020	24/09/2020	7.3	25	not visible	EPL compliant
10/08/2020	21/09/2020	24/09/2020	6.5	7	not visible	EPL compliant
11/08/2020	21/09/2020	24/09/2020	7.4	12	not visible	EPL compliant
12/08/2020	21/09/2020	24/09/2020	7.5	12	not visible	EPL compliant
13/08/2020	21/09/2020	24/09/2020	7.4	18	not visible	EPL compliant
17/08/2020	21/09/2020	24/09/2020	7.4	<5	not visible	EPL compliant
18//08/2020	21/09/2020	24/09/2020	7.6	<5	not visible	EPL compliant
19/08/2020	21/09/2020	24/09/2020	7.7	<5	not visible	EPL compliant
20/08/2020	21/09/2020	24/09/2020	7.7	<5	not visible	EPL compliant
24/08/2020	21/09/2020	24/09/2020	7.4	8	not visible	EPL compliant
27/08/2020	21/09/2020	24/09/2020	7.8	<5	not visible	EPL compliant

NB TSS (total suspended solids) - under EPL, a TSS water quality limit of 50mg/litre pertains. Exceedance of this limit is permitted when discharge occurs solely as a result of rainfall measured at the premises. For discharge to be considered to occur solely as a result of rainfall, the rainfall must exceed a 5 day rainfall depth value of 90 mm over a consecutive 5 day period.





			2020	) PKCT Sedimen	ntation Pond Ov	verflows - EPL 1	625
	F	onds location/r					p Pond DP26, Berth 102 DP27.
Sample Location	Sample Date	Date Results Obtained	Date Results Published	pH (pH units) Criteria: Monitoring only		(milligrams per litre) Criteria: Monitoring only	Commentary on Results
				No overflows f	rom any satellite ponds in	January 2020	
DP24 - Tower 3 Pond	09/02/2020	18/02/2020	23/03/2020	8.6	509	not visible	Overflow of Tower 3 Pond occurred during very large rain event in February. Over 173mm of rainfall fell across a four day period from 7th to 10th February. Pond sediment levels were below the required 20% and no pump failures occurred. Pond and pump capacity could not keep up with the inflows. Discharge is permitted under PKCT's licence conditions.
DP23 - Central Pond	09/02/2020	24/02/2020	23/03/2020	8.2	290	not visible	Overflow of Central Pond occurred during very large rain event in February. Over 173mm of rainfall fell across a four day period from 7th to 10th February. Pond sediment levels were below the required 20% and no pump failures occurred. Pond and pump capacity could not keep up with the inflows. Discharge is permitted under PKCT's licence conditions.
DP23 - Central Pond	10/02/2020	19/02/2020	23/03/2020	7.5	153	not visible	Overflow of Central Pond occurred during very large rain event in February. Over 173mm of rainfall fell across a four day period from 7th to 10th February. Pond sediment levels were below the required 20% and no pump failures occurred. Pond and pump capacity could not keep up with the inflows. Discharge is permitted under PKCT's licence conditions.
DP25 - Southern Pond	10/02/2020	18/02/2020	23/03/2020	7.7	51	not visible	Overflow of Southern Pond occurred during very large rain event in February. Over 173mm of rainfall fell across a four day period from 7th to 10th February. Pond sediment levels were below the required 20% and no pump failures occurred. Pond and pump capacity could not keep up with the inflows. Discharge is permitted under PKCT's licence conditions.
					from any satellite ponds ir		
					from any satellite ponds i		
					s from any satellite ponds i		
		1		No overflows	s from any satellite ponds i I	n June 2020	
							I

Environment Protection Licence 1625 Monthly Report: August 2020





			2020	PKCT Sedimen	tation Pond Ov	erflows - EPL 1	625
Sample Location	Sample Date		Date Results Published	pH (pH units)	23, Tower 3 pond: DP24, So Total Suspended Solids (milligrams per litre) Criteria: Monitoring only	Oil/ Grease (milligrams per litre)	p Pond DP26, Berth 102 DP27.  Commentary on Results
DP23 - Central Pond	27/07/2020	03/08/2020	21/08/2020	6.7	192	not visible	Overflow of Central Pond occurred during large rain event in July.  115.4mm of rainfall fell across a four day period from 25th to 28th July. Pond sediment levels were below the required 20% and no pump failures occurred. Pond and pump capacity could not keep up with the inflows. Discharge is permitted under PKCT's licence conditions.
DP25 - Southern Pond	27/07/2020	03/08/2020	21/08/2020	7.5	23	not visible	Overflow of South Pond occurred during large rain event in July.  115.4mm of rainfall fell across a four day period from 25th to 28th July. Pond sediment levels were below the required 20% and no pump failures occurred. Pond and pump capacity could not keep up with the inflows. Discharge is permitted under PKCT's licence conditions.
DP24 - Tower 3 pond	27/07/2020	04/08/2020	21/08/2020	7.03	196	not visible	Overflow of Tower 3 Pond occurred during large rain event in July.  115.4mm of rainfall fell across a four day period from 25th to 28th July. Pond sediment levels were below the required 20% and no pump failures occurred. Pond and pump capacity could not keep up with the inflows. Discharge is permitted under PKCT's licence conditions.
DP23 - Central Pond	28/07/2020	04/08/2020	21/08/2020	7.34	200	not visible	Overflow of Central Pond occurred during large rain event in July.  115.4mm of rainfall fell across a four day period from 25th to 28th July. Pond sediment levels were below the required 20% and no pump failures occurred. Pond and pump capacity could not keep up with the inflows. Discharge is permitted under PKCT's licence conditions.
DP24 - Tower 3 pond	28/07/2020	04/08/2020	21/08/2020	7.43	50	not visible	Overflow of Tower 3 Pond occurred during large rain event in July.  115.4mm of rainfall fell across a four day period from 25th to 28th July. Pond sediment levels were below the required 20% and no pump failures occurred. Pond and pump capacity could not keep up with the inflows. Discharge is permitted under PKCT's licence conditions.
DP25 - Southern Pond	28/07/2020	04/08/2020	21/08/2020	7.31	20	not visible	Overflow of South Pond occurred during large rain event in July.  115.4mm of rainfall fell across a four day period from 25th to 28th July. Pond sediment levels were below the required 20% and no pump failures occurred. Pond and pump capacity could not keep up with the inflows. Discharge is permitted under PKCT's licence conditions.

Environment Protection Licence 1625 Monthly Report: August 2020





			2020	0 PKCT Sedimer	ntation Pond Ov	erflows - EPL 1	625
	Ponds	location/nam	es: TS1 pond: l	DP22, Central Pond: DP2		South Pond: DP25, Work	shop Pond DP26, Berth 102 DP27.
Sample Location	Sample Date	Date Results Obtained	Date Results Published	pH (pH units) Criteria: Monitoring only	Solids (milligrams per litre) Criteria: Monitoring	Oil/ Grease (milligrams per litre) Criteria: Monitoring only	Commentary on Results
DP22 - TS1 Pond	08/08/2020	17/08/2020	24/09/2020	7.24	457	8	Overflow of TS1 Pond occurred during large rain event in August 164.8mm of rainfall fell across a four day period from 7th to 10th August. Pond sediment levels were below the required 20% and no pump failures occurred. Pond and pump capacity could not keep up with the inflows. Discharge is permitted under PKCT's licence conditions.
DP23 - Central Pond	08/08/2020	17/08/2020	24/09/2020	6.28	386	8	Overflow of Central Pond occurred during large rain event in August. 164.8mm of rainfall fell across a four day period from 7th to 10th August. Pond sediment levels were below the required 20% and no pump failures occurred. Pond and pump capacity could not keep up with the inflows. Discharge is permitted under PKCT's licence conditions.
DP24 - Tower 3 Pond	08/08/2020	17/08/2020	24/09/2020	6.63	88	<5	Overflow of Tower 3 Pond occurred during large rain event in August. 164.8mm of rainfall fell across a four day period from 7th to 10th August. Pond sediment levels were below the required 20% and no pump failures occurred. Pond and pump capacity could not keep up with the inflows. Discharge is permitted under PKCT's licence conditions.
DP25 - Southern Pond	08/08/2020	17/08/2020	24/09/2020	6.82	115	13	Overflow of South Pond occurred during large rain event in August. 164.8mm of rainfall fell across a four day period from 7th to 10th August. Pond sediment levels were below the required 20% and no pump failures occurred. Pond and pump capacity could not keep up with the inflows. Discharge is permitted under PKCT's licence conditions.
DP23 - Central Pond	10/08/2020	17/08/2020	24/09/2020	6.68	94	<5	Overflow occurred late evening on the 9th August during heavy rain. Samples taken the next morning when safe to do so. Overflow of Central Pond occurred during large rain event in August. 164.8mm of rainfall fell across a four day period from 7th to 10th August. Pond sediment levels were below the required 20% and no pump failures occurred. Pond and pump capacity could not keep up with the inflows. Discharge is permitted under PKCT's licence conditions.
DP24 - Tower 3 Pond	10/08/2020	17/08/2020	24/09/2020	7.07	102	16	Overflow occurred late evening on the 9th August during heavy rain. Samples taken the next morning when safe to do so.  Overflow of Tower 3 Pond occurred during large rain event in August. 164.8mm of rainfall fell across a four day period from 7th to 10th August. Pond sediment levels were below the required 20% and no pump failures occurred. Pond and pump capacity could not keep up with the inflows. Discharge is permitted under PKCT's licence conditions.

Environment Protection Licence 1625 Monthly Report: August 2020






#### **PKCT Water Collection System Discharge Points**







#### WIND ROSES - August 2020



Publish Date: 24<sup>th</sup> September, 2020





#### **RAINFALL (PKCT site gauge)**

