



PORT KEMBLA COAL TERMINAL LTD.



| | |
|---------------------------------|---|
| Licencee: | Port Kembla Coal Terminal Limited |
| Environment Protection Licence: | 1625 |
| Licence URL: | http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=106587&SYSUID=1&LICID=1625 |
| PKCT EPA Public Register | https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=1625&id=1625&option=licence&searchrange=general&range=POEOlicence&prp=no&status=Issued |
| Location: | Port Kembla Road, Port Kembla Inner Harbour, Wollongong |
| Postal Address: | PO Box 823, Wollongong East 2502 |





PORT KEMBLA COAL TERMINAL LTD.



| EPL MONITORING SITES- INDUSTRIAL | | | Calendar Year 2026 | | | | | | | | | | | | | | | | Annual average: grams per square metre.month | | |
|----------------------------------|--|------------------------------------|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------------------|-----|------|-----|--|--------------------------|------|
| Monthly Analysis | | MONTH | Jan-26 | Feb-26 | Mar-26 | Apr-26 | May-26 | Jun-26 | Jul-26 | Aug-26 | Sep-26 | Oct-26 | Nov-26 | Dec-26 | | | | | rolling 12 month average | PKCT assessment criteria | |
| EPL No. | Location Gauge Number | analysis: grams/square metre.month | | | | | | | | | | | | | Samples collected | MIN | MEAN | MAX | | | |
| 4 | P4 40m East Coal Berth Stockyard | Insoluble Solids | 1.1 | 1.5 | 3.4 | 5.2 | | | | | | | | | | 4 | 1.1 | 2.8 | 5.2 | 3.4 | 15.0 |
| | | Ash | 0.7 | 0.9 | 1.8 | 2.3 | | | | | | | | | | 4 | 0.7 | 1.4 | 2.3 | | |
| | | Combustible Matter | 0.4 | 0.6 | 1.6 | 2.9 | | | | | | | | | | 4 | 0.4 | 1.4 | 2.9 | 1.8 | 12.0 |
| 5 | P5 Northern Pond (No.1) | Insoluble Solids | 7.4 | 7.5 | 7.2 | 3.4 | | | | | | | | | 4 | 3.4 | 6.4 | 7.5 | 5.9 | 15.0 | |
| | | Ash | 3.0 | 3.1 | 2.9 | 1.7 | | | | | | | | | 4 | 1.7 | 2.7 | 3.1 | | | |
| | | Combustible Matter | 4.4 | 4.4 | 4.3 | 1.7 | | | | | | | | | 4 | 1.7 | 3.7 | 4.4 | 3.8 | 12.0 | |
| 6 | P6 40m West Coal Berth Stockyard | Insoluble Solids | 3.4 | 3.6 | 5.2 | 5.7 | | | | | | | | | 4 | 3.4 | 4.5 | 5.7 | 5.5 | 15.0 | |
| | | Ash | 1.4 | 1.5 | 2.7 | 2.6 | | | | | | | | | 4 | 1.4 | 2.1 | 2.7 | | | |
| | | Combustible Matter | 2.0 | 2.1 | 2.5 | 3.1 | | | | | | | | | 4 | 2.0 | 2.4 | 3.1 | 3.1 | 12.0 | |
| 7 | P7 260m West No.2 Coalberth | Insoluble Solids | 3.0 | 3.2 | 4.3 | 3.1 | | | | | | | | | 4 | 3.0 | 3.4 | 4.3 | 3.7 | 15.0 | |
| | | Ash | 0.9 | 1.2 | 1.4 | 2.0 | | | | | | | | | 4 | 0.9 | 1.4 | 2.0 | | | |
| | | Combustible Matter | 2.1 | 2.0 | 2.9 | 1.1 | | | | | | | | | 4 | 1.1 | 2.0 | 2.9 | 1.7 | 12.0 | |
| 8 | P8 PKCT North Truckwash | Insoluble Solids | 2.0 | 3.1 | 5.7 | 7.7 | | | | | | | | | 4 | 2.0 | 4.6 | 7.7 | 7.8 | 15.0 | |
| | | Ash | 1.2 | 1.3 | 1.9 | 1.8 | | | | | | | | | 4 | 1.2 | 1.6 | 1.9 | | | |
| | | Combustible Matter | 0.8 | 1.8 | 3.8 | 5.9 | | | | | | | | | 4 | 0.8 | 3.1 | 5.9 | 5.7 | 12.0 | |
| 9 | P9 Wollongong Wastewater TP. | Insoluble Solids | 1.5 | 1.9 | 3.3 | 2.9 | | | | | | | | | 4 | 1.5 | 2.4 | 3.3 | 2.8 | 6.0 | |
| | | Ash | 0.8 | 1.0 | 1.8 | 1.5 | | | | | | | | | 4 | 0.8 | 1.3 | 1.8 | | | |
| | | Combustible Matter | 0.7 | 0.9 | 1.5 | 1.4 | | | | | | | | | 4 | 0.7 | 1.1 | 1.5 | 1.5 | 4.0 | |
| 15 | P10 North of PKCT Planning Office | Insoluble Solids | 5.6 | 5.8 | 9.2 | 6.8 | | | | | | | | | 4 | 5.6 | 6.9 | 9.2 | 8.0 | 15.0 | |
| | | Ash | 2.6 | 2.6 | 3.5 | 3.3 | | | | | | | | | 4 | 2.6 | 3.0 | 3.5 | | | |
| | | Combustible Matter | 3.0 | 3.2 | 5.7 | 3.5 | | | | | | | | | 4 | 3.0 | 3.9 | 5.7 | 4.6 | 12.0 | |
| 17 | P11 Entry Gate BlueScope RO.RO Berth (109) | Insoluble Solids | 4.9 | 5.5 | 4.1 | 3.0 | | | | | | | | | 4 | 3.0 | 4.4 | 5.5 | 3.9 | 6.0 | |
| | | Ash | 3.6 | 4.1 | 3.5 | 2.4 | | | | | | | | | 4 | 2.4 | 3.4 | 4.1 | | | |
| | | Combustible Matter | 1.3 | 1.4 | 0.6 | 0.6 | | | | | | | | | 4 | 0.6 | 1.0 | 1.4 | 1.0 | 4.0 | |

MONTHLY REPORT: COMMENTARY ON RESULTS

Note 1: there are no EPL air quality limits in the EPL for industrial monitoring sites. Historical information provides baseline data and assessment criteria has been adopted to assess against actual results to facilitate performance improvement.

| SAMPLE PERIOD | Date Sampled | Date Results Obtained | Date Published | COMMENTARY ON RESULTS |
|---------------|--------------|-----------------------|----------------|---------------------------------------|
| January 2026 | 04/02/2026 | 24/02/2026 | 25/02/2026 | All sites within assessment criteria. |
| February 2026 | 04/03/2026 | 30/03/2026 | 30/03/2026 | All sites within assessment criteria. |
| March 2026 | 01/04/2026 | 28/04/2026 | 28/04/2026 | All sites within assessment criteria. |
| April 2026 | 01/05/2026 | 26/05/2026 | 26/05/2026 | All sites within assessment criteria. |



PORT KEMBLA COAL TERMINAL LTD.



| EPL MONITORING SITES- RESIDENTIAL | | | Calendar Year 2026 | | | | | | | | | | | | Monthly Analysis | | | annual average: grams per square metre.month | | | | | |
|-----------------------------------|----------------------------------|---|--------------------|-----------------------------------|---|--------|--------|--------|--------|--------|--------|--------|--------|--------|-----------------------|-----|------|--|--------------------------|--------------------------|-----|-----|-----|
| | | | Jan-26 | Feb-26 | Mar-26 | Apr-26 | May-26 | Jun-26 | Jul-26 | Aug-26 | Sep-26 | Oct-26 | Nov-26 | Dec-26 | | | | | | | | | |
| EPL No. | Location Gauge Number | Analysis: grams/square metre.month | MONTH | | | | | | | | | | | | No. samples collected | MIN | MEAN | MAX | rolling 12 month average | PKCT assessment criteria | | | |
| | | | 12 | R1 157 Church St Wollongong | Insoluble Solids Ash Combustible Matter | 1.3 | 1.4 | 1.1 | 0.6 | | | | | | | | | | | | | | |
| | | | 0.8 | 0.9 | 0.7 | 0.5 | | | | | | | | | | | | 4 | 0.5 | 0.7 | 0.9 | | |
| | | | 0.5 | 0.5 | 0.4 | 0.1 | | | | | | | | | | | | 4 | 0.1 | 0.4 | 0.5 | 0.4 | 2.0 |
| 19 | R2 Vikings Oval Wollongong | Insoluble Solids Ash Combustible Matter | 2.0 | 2.2 | 2.2 | 0.5 | | | | | | | | | | | | 4 | 0.5 | 1.7 | 2.2 | 1.5 | 4.0 |
| | | | 0.8 | 0.6 | 0.7 | 0.2 | | | | | | | | | | | | 4 | 0.2 | 0.6 | 0.8 | | |
| | | | 1.2 | 1.6 | 1.5 | 0.3 | | | | | | | | | | | | 4 | 0.3 | 1.2 | 1.6 | 0.9 | 2.0 |
| TBA | R3 Ross Street Wollongong | Insoluble Solids Ash Combustible Matter | 1.8 | 0.8 | 1.6 | 0.8 | | | | | | | | | | | | 4 | 0.8 | 1.3 | 1.8 | 1.1 | 4.0 |
| | | | 0.9 | 0.4 | 0.9 | 0.4 | | | | | | | | | | | | 4 | 0.4 | 0.7 | 0.9 | | |
| | | | 0.9 | 0.4 | 0.7 | 0.4 | | | | | | | | | | | | 4 | 0.4 | 0.6 | 0.9 | 0.5 | 2.0 |

MONTHLY REPORT: COMMENTARY ON RESULTS

Note 1: Assessment criteria is based on an EPA guideline of annual average of 4 grams per square metre per month for residential areas. PKCT has adopted a level of 2 grams per square metre for combustible matter for assessment purposes.

Note 2: With regard to the data reported and consideration of PKCT's contribution to dust emissions, it is noted that ambient air quality is impacted on by numerous dust sources industrial and otherwise within and beyond the Wollongong region and influenced by meteorological effects.

Note 3: Ash and Combustible Matter are the two components which combined make up Insoluble Solids.

| SAMPLE PERIOD | Date Sampled | Date Results Obtained | Date Published | COMMENTARY |
|----------------|--------------|-----------------------|----------------|--------------------------------------|
| January 2026 | 04/02/2026 | 24/02/2026 | 25/02/2026 | All sites within assessment criteria |
| February 2026 | 04/03/2026 | 30/03/2026 | 30/03/2026 | All sites within assessment criteria |
| March 2026 | 01/04/2026 | 28/04/2026 | 28/04/2026 | All sites within assessment criteria |
| April 2026 | 01/05/2026 | 26/05/2026 | 26/05/2026 | All sites within assessment criteria |
| May 2026 | | | | |
| June 2026 | | | | |
| July 2026 | | | | |
| August 2026 | | | | |
| September 2026 | | | | |
| October 2026 | | | | |
| November 2026 | | | | |
| December 2026 | | | | |



PORT KEMBLA COAL TERMINAL LTD.



2026 PKCT Sedimentation Pond Overflows - EPL 1625

Ponds location/names: TS1 pond: DP22, Central Pond: DP23, Workshop Pond DP26, Berth 102 DP27.

| Sample Location | Sample Date | Date Results Obtained | Date Results Published | pH (pH units) Criteria: Monitoring only | Total Suspended Solids (milligrams per litre) Criteria: Monitoring only | Oil/ Grease (milligrams per litre) Criteria: Monitoring only | Commentary on Results |
|--|-------------|-----------------------|------------------------|--|--|---|--|
| DP22 - TS1 Pond | 18/01/2026 | 23/02/2026 | 25/02/2026 | 6.8 | 110 | not visible | Overflow of TS1 Pond occurred after a heavy rain period (102.0mm) in a 5 day period leading up to the overflow. Pond sediment levels were below the required 20% and no pump failures occurred. Pond and pump capacity could not keep up with the inflows. Discharge is permitted under PKCT's licence conditions. |
| DP23 - Central Pond | 18/01/2026 | 23/02/2026 | 25/02/2026 | 6.8 | 176 | not visible | Overflow of Central Pond occurred after a heavy rain period (102.0mm) in a 5 day period leading up to the overflow. Pond sediment levels were below the required 20% and no pump failures occurred. Pond and pump capacity could not keep up with the inflows. Discharge is permitted under PKCT's licence conditions. |
| DP26 - Workshop Pond | 18/01/2026 | 23/02/2026 | 25/02/2026 | 6.8 | 8 | not visible | Overflow of Workshop Pond occurred after a heavy rain period(102.0mm) in a 5 day period leading up to the overflow. Pond sediment levels were below the required 20% and no pump failures occurred. Pond and pump capacity could not keep up with the inflows. Discharge is permitted under PKCT's licence conditions. |
| No overflows from any satellite ponds in February 2026 | | | | | | | |
| No overflows from any satellite ponds in March 2026 | | | | | | | |
| No overflows from any satellite ponds in April 2026 | | | | | | | |

PKCT Water Collection System Discharge Points







PORT KEMBLA COAL TERMINAL LTD.



North Wind Rose – April 2026

South Wind Rose – April 2026





PORT KEMBLA COAL TERMINAL LTD.



RAINFALL (PKCT site gauge)

